according to the Globally Harmonized System



# **Cutasept G**

VersionRevision Date:SDS Number:Date of last issue: 16.02.20231.2108.04.2024R11034Date of first issue: 09.04.2014

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH

Melanchthonstraße 27 22525 Hamburg (Germany) Tel.: +49 (0)40 / 54 00 60

Supplier

Responsible Department : Scientific Affairs

sds@bode-chemie.de

Emergency telephone number : Poison Center Göttingen

24h-Phone +49 (0)551 / 1 92 40

Recommended use of the chemical and restrictions on use

Recommended use : In-door use

Biocidal product

For further information, refer to the product technical data sheet.

## 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Flammable liquids : Category 2

Serious eye damage/eye irritation : Category 2A

Specific target organ toxicity -

single exposure

Category 3

**GHS** label elements

Hazard pictograms :





Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for

according to the Globally Harmonized System

# **Cutasept G**

several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/

doctor.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal

plant.

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Propan-2-ol	67-63-0	>= 50 - < 70
alkyl (c12-16) dimethylbenzyl ammonium chloride (ad-	68424-85-1	>= 0,025 - < 0,1
bac/bkc (c12-16))		

#### 4. FIRST AID MEASURES

General advice : If you feel unwell, seek medical advice (show the label where possi-

ble).

If inhaled : If breathed in, move person into fresh air.

In case of eye contact : Immediately flush eye(s) with plenty of water.

If swallowed : Rinse mouth.

Do NOT induce vomiting.

Most important symptoms and

effects, both acute and delayed

Causes serious eye irritation.

May cause drowsiness or dizziness.

Causes serious eye irritation.

Notes to physician : For specialist advice physicians should contact the Poisons Infor-

mation Service.

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Specific hazards during fire-

fighting

Cool closed containers exposed to fire with water spray.

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Standard procedure for chemical fires.

Special protective equipment for

: Use personal protective equipment.

firefighters

In the event of fire, wear self-contained breathing apparatus.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective : Ensure adequate ventilation.

R11034 2 / 10 International

according to the Globally Harmonized System

# **Cutasept G**

equipment and emergency pro-

cedures

Remove all sources of ignition.

Environmental precautions : Should not be released into the environment.

Methods and materials for con-

tainment and cleaning up

Clean-up methods - small spillage

Wipe up with absorbent material (e.g. cloth, fleece).

Clean-up methods - large spillage

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

Advice on protection against fire :

and explosion

Keep away from sources of ignition - No smoking.

Provide sufficient air exchange and/or exhaust in work rooms.

Advice on safe handling : Avoid contact with eyes.

Conditions for safe storage

Store at room temperature in the original container.

Keep tightly closed.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of ex- posure)	Control parameters / Permissible con- centration	Basis
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH

## **Biological occupational exposure limits**

Components	CAS-No.	Control pa-	Biological	Sampling	Permissible	Basis
		rameters	specimen	time	concentration	
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

## Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Protective measures : No special protective equipment required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety prac-

tice.

Keep away from food and drink.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : brown

R11034 3 / 10 International

according to the Globally Harmonized System

# **Cutasept G**

Odour : alcohol-like

pH : not determined

Melting point/range : not determined

Boiling point/boiling range : > 80 °C

Flash point : 21 °C

Method: ISO 1516

Vapour pressure : 8 kPa (50 °C)

Density : 0,876 g/cm3 (20 °C)

Solubility(ies)

Water solubility : completely miscible

## 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : None reasonably foreseeable.

Conditions to avoid : Heat

Strong sunlight for prolonged periods.

Incompatible materials : None.

Hazardous decomposition prod-

ucts

No decomposition if used as directed.

No hazardous decomposition products are known.

## 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : LD50 Oral(Rat): > 13.000 mg/kg

Method: Calculation method

**Components:** 

Propan-2-ol (CAS: 67-63-0):

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16)) (CAS: 68424-85-1):

Acute oral toxicity : LD50 Oral (Rat): 344 mg/kg

R11034 4 / 10 International

according to the Globally Harmonized System

# **Cutasept G**

Acute dermal toxicity : LD50 Dermal (Rabbit): 3.340 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

## **Components:**

Propan-2-ol (CAS: 67-63-0):

Species : Rabbit

Result : No skin irritation

## alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16)) (CAS: 68424-85-1):

Result : Corrosive after 3 minutes to 1 hour of exposure

## Serious eye damage/eye irritation

## Serious eye damage/eye irritation

Causes serious eye irritation.

## **Components:**

## Propan-2-ol (CAS: 67-63-0):

Species : Rabbit Result : Eye irritation

## Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

## **Product:**

Species : Guinea pig

Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

## **Components:**

## Propan-2-ol (CAS: 67-63-0):

Test Type : Buehler Test Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

## alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16)) (CAS: 68424-85-1):

Species : Guinea pig

Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

## Germ cell mutagenicity

Not classified based on available information.

## Components:

## Propan-2-ol (CAS: 67-63-0):

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

according to the Globally Harmonized System

# **Cutasept G**

Result: negative

## Carcinogenicity

Not classified based on available information.

## Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

No data available

## **Aspiration toxicity**

Not classified based on available information.

## Experience with human exposure

No data available

## **Experience with human exposure**

No data available

## **Neurological effects**

No data available

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

**Product:** 

Toxicity to fish : LC50 (Fish): > 100 mg/l

Exposure time: 96 h

Remarks: The data is estimated based on the component aquatic

toxicity classification.

**Components:** 

Propan-2-ol (CAS: 67-63-0):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.692 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.285 mg/l

Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 141 mg/l

Exposure time: 16 d

Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): 10.500 mg/l

Exposure time: 72 h

alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16)) (CAS: 68424-85-1):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0,28 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,016 mg/l

Exposure time: 48 h

R11034 6 / 10 International

according to the Globally Harmonized System

# Cutasept G

Method: OECD Test Guideline 202

ErC50 (Pseudokirchneriella subcapitata (microalgae)): 0,049 mg/l Toxicity to algae/aquatic plants

Exposure time: 72 h

Test Type: Cell multiplication inhibition test

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) NOEC: 0,032 mg/l

Exposure time: 34 d

Species: Leuciscus idus (Golden orfe)

Toxicity to daphnia and other aquatic invertebrates (Chronic

toxicity)

NOEC: 0,0042 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxici: :

1

## Persistence and degradability

**Product:** 

Biodegradability Result: According to the results of tests of biodegradability this prod-

uct is not readily biodegradable.

**Components:** 

Propan-2-ol (CAS: 67-63-0):

Biodegradability Result: rapidly biodegradable

alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16)) (CAS: 68424-85-1):

Biodegradability Result: rapidly biodegradable

Bioaccumulative potential

**Components:** 

Propan-2-ol (CAS: 67-63-0):

Partition coefficient: n-

log Pow: 0,05

octanol/water

alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16)) (CAS: 68424-85-1):

Partition coefficient: n-

octanol/water

: log Pow: 2,96

Mobility in soil

**Components:** 

Propan-2-ol (CAS: 67-63-0):

tal compartments

Distribution among environmen- : Remarks: Mobile in soils

Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

R11034 7 / 10 International

according to the Globally Harmonized System

# **Cutasept G**

**Disposal methods** 

Waste from residues : Dispose of as hazardous waste in compliance with local and national

regulations.

Waste codes should be assigned by the user, preferably in discus-

sion with the waste disposal authorities.

Contaminated packaging : Empty remaining contents.

Store containers and offer for recycling of material when in accord-

ance with the local regulations.

#### 14. TRANSPORT INFORMATION

ADR

UN number : UN 1219

Proper shipping name : ISOPROPANOL, SOLUTION

Class : 3
Packing group : II
Labels : 3
Hazard Identification Number : 33
Tunnel restriction code : (D/E)
Limited quantity (LQ) : 1,00 L
Environmentally hazardous : no

**UNRTDG** 

UN number : UN 1219
Proper shipping name : ISOPROPANOL

Class : 3
Packing group : II
Labels : 3
Environmentally hazardous : no

**IATA-DGR** 

UN/ID No. : UN 1219
Proper shipping name : Isopropanol

Class : 3 Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo air- : 364

craft)

Packing instruction (passenger : 353

aircraft)

IMDG-Code

UN number : UN 1219
Proper shipping name : ISOPROPANOL

 Class
 : 3

 Packing group
 : II

 Labels
 : 3

 EmS Code
 : F-E, S-D

 Limited quantity (LQ)
 : 1,00 L

 Marine pollutant
 : no

## Transport in bulk according to IMO instruments

Not applicable for product as supplied.

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

R11034 8 / 10 International

according to the Globally Harmonized System

# **Cutasept G**

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

## Other international regulations

The components of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.


#### **16. OTHER INFORMATION**

Revision Date : 08.04.2024

Date format : yyyy/mm/dd

#### **Further information**

## NFPA:



Special hazard

## HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea

according to the Globally Harmonized System



# **Cutasept G**

Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN